

WASTEWATER

SPECIALIZING IN SYSTEMS TO TREAT WASTEWATER

The wastewater treatment process involves transforming wastewater into effluent with minimal environmental impact, allowing it to be safely released back into the environment.

Additionally, this process can be essential for industrial plants, enabling their facilities to directly reuse the treated water. DS21 holds many patents and places emphasis on the research and development process to pioneer advanced, environmental conscious physical separation and biological wastewater treatment technologies.

TREATMENT METHODS

PHYSICAL



PHYSICAL SEPARATION


Wastewater treatment systems designed utilizing varying separation technologies to treat oily water.

WASTEWATER TREATMENT PACKAGE

Utilizing (DAF or IAF Separators)

WASTEWATER TREATMENT PACKAGE

for wastewater



CORRUGATED PLATE INTERCEPTOR



CONVENTIONAL CLARIFIER

**API SEPARATOR**

DS21's patented API Oil-Water Separator is a device specifically designed to separate substantial amounts of oil and suspended solids from wastewater effluents. The API separator effectively removes free oil particles larger than 150 μ m as a pre-treatment step.

**DISSOLVED AIR FLOTATION**

Dissolved air flotation (DAF) is a water treatment technique used to clarify wastewater by removing suspended matter such as oil or solids. This process involves dissolving air into the wastewater under pressure and then releasing it at atmospheric pressure in a flotation tank or basin. The released air forms tiny bubbles that attach to the suspended matter, causing it to float to the surface, where it can be removed by a skimming device.

**CORRUGATED PLATE INTERCEPTOR**

CPI is the most widely used oil-water separator, utilizing the specific gravity difference method to separate oil and sludge from oily wastewater. It employs multiple slate or corrugated plates, or enhanced oil separation plates, which are installed either slanted at a 45° angle or horizontally. This design directs the flow from the upper portion to the lower portion, increasing the effective horizontal surface area of the separator without enlarging the separator basin.

**CHEMICAL INJECTION SYSTEM**

Chemical injection systems are widely used in production facilities within the oil and gas industry to prevent or mitigate various issues that could negatively impact production flow or process completion. DS21 designs, manufactures and supplies custom-built injection systems for a wide range of applications.

**LAMELLA CLARIFIER**


The Lamella Plate Clarifier, a primary clarification device that treats sewage and industrial waste streams while occupying up to 90% less area compared to traditional settling tanks.

**INDUCED AIR/GAS FLOTATION**

A water treatment process that clarifies wastewater (or other waters) by removing suspended matter such as oil or solids. This removal is accomplished by injecting gas bubbles into the water or wastewater in a flotation tank or basin or a mechanical type that employs a motor-driven rotor (impeller) to draw air or gas from the vapor phase at the top of the vessel directly into the water phase.

**CONVENTIONAL CLARIFIER**

A clarifier is used to remove solid particulates or suspended solids from liquid for clarification and/or thickening. Inside the clarifier, solid contaminants will settle down to the bottom of the tank where it is collected by a scraper mechanism.

**LAMELLA CLARIFIER****INDUCED AIR/GAS FLOTATION**